



# NÝTY PRO SPECIÁLNÍ APLIKACE

## BULBEX Série BF01



Nýtování plastů, pryže, překližky, sololitu, lepenky, plechů a kombinací těchto materiálů.



Všechny rozměry v mm.

d1 Ø	Ø : 4.2 - 4.5
<b>4.0</b>	d2 Ø : 8.2
+0.05	k : 1.6
-0.15	P : ≥ 31
	d3 : ≈ 2.3
	⊕ : 1000 N
	⊖ : 600 N

↑ ↓	L	Objednáací číslo
	[+1/-0.2]	
1.0- 3.0	16.0	BF010516
1.0- 7.0	21.0	0523

Všechny rozměry v mm.

d1 Ø	Ø : 5.0 - 5.2
<b>4.8</b>	d2 Ø : 10.1
+0.05	k : 2.1
-0.15	P : ≥ 31
	d3 : ≈ 2.8
	⊕ : 1100 N
	⊖ : 800 N



↑ ↓	L	Objednáací číslo
	[+1/-0.2]	
1.0- 4.0	18.1	BF010619
1.0- 9.0	23.3	0625
4.0-12.0	27.1	0630

## HSN Série 1803



Nýtování bez potřeby nýtovačky.

A2 [1.4301]



Všechny rozměry v mm.



d1 Ø	Ø : 4.9
<b>4.8</b>	d2 Ø : 16 [+/-0.4]
+0.08	k : 2.6 [+/-0.3]
-0.15	⊕ : 2950 N
	⊖ : 4900 N

↑ ↓	L	Objednáací číslo
	[+1/-0.2]	
4.5- 7.0	9.0	18034809
11.5-13.0	16.0	4816
15.5-17.0	20.0	4820
20.5-22.0	25.0	4825
25.5-27.0	30.0	4830
30.5-32.0	35.0	4835
35.5-37.0	40.0	4840
40.5-42.0	45.0	4845
45.5-47.0	50.0	4850

# T-LOK Série BM01



## ROZPĚRNÝ NÝT



Všechny rozměry v mm.

d1 Ø	Ø : 4.3 - 4.4	L		Objednáací číslo
		0.25-1.30	8.0	
<b>4.3</b>	d2 Ø : 8.0	0.25-1.30	9.0	0512
	k : 1.2	0.25-7.60	16.0	0520
	P : ≥ 29			
+0.05	d3 : ≈ 2.4			
-0.15	⊕ : 740 N			
	⊕ : -			



Všechny rozměry v mm.

d1 Ø	Ø : 4.8 - 4.9	L		Objednáací číslo
		0.25-3.00	11.0	
<b>4.8</b>	d2 Ø : 10.0	0.25-7.60	16.0	0620
	k : 2.0			
	P : ≥ 28			
+0.05	d3 : ≈ 2.9			
-0.15	⊕ : 920 N			
	⊕ : -			

# T-LOK Série 1301



## ROZPĚRNÝ NÝT



Všechny rozměry v mm.

d1 Ø	Ø : 3.7 max.	L		Objednáací číslo
		0.5- 1.0	8.0	
<b>3.2</b>	d2 Ø : 6.5 [+/-0.3]	1.0- 3.0	10.0	3210
	k : 1.0 [+/-0.2]	3.0- 5.0	12.0	3212
	P : ≥ 27	7.0- 9.0	16.0	3216
+0.08	d3 : ~1.8	9.0-11.0	18.0	3218
-0.15	⊕ : 750 N			
	⊕ : 820 N			

Všechny rozměry v mm.

d1 Ø	Ø : 4.5 max.	L		Objednáací číslo
		1.5- 5.0	10.0	
<b>4.0</b>	d2 Ø : 8.0 [+/-0.4]	4.0- 6.5	12.0	4012
	k : 1.2 [+/-0.2]	6.0- 9.0	14.0	4014
	P : ≥ 27	8.0-11.0	16.0	4016
+0.08	d3 : ~2.1	10.0-13.0	18.0	4018
-0.15	⊕ : 1140 N	12.0-15.0	20.0	4020
	⊕ : 1280 N	15.0-20.0	25.0	4025
		20.0-25.0	30.0	4030

Všechny rozměry v mm.



d1 Ø	Ø : 5.3 max.	L		Objednáací číslo
		1.5- 4.0	10.0	
<b>4.8</b>	d2 Ø : 9.0 [+/-0.4]	2.0- 6.0	12.0	4812
	k : 1.4 [+/-0.2]	4.0- 8.0	14.0	4814
	P : ≥ 27	6.0-10.0	16.0	4816
+0.08	d3 : ~2.7	8.0-12.0	18.0	4818
-0.15	⊕ : 2450 N	10.0-14.0	20.0	4820
	⊕ : 2100 N	12.0-16.0	22.0	4822
		16.0-19.0	25.0	4825
		19.0-24.0	30.0	4830
		24.0-29.0	35.0	4835
		29.0-34.0	40.0	4840

NÝTY PRO SPECIÁLNÍ APLIKACE

# RÝHOVANÝ NÝT Série 1601



ČSN 02 2391, DIN 7337



Všechny rozměry v mm.

<b>d1</b> ∅	∅  : <b>3.4</b>
<b>d2</b> ∅	: <b>6.0</b> [±0.24]
<b>k</b>	: ≤ <b>1.4</b>
<b>P</b>	: ≥ <b>26</b>
<b>d3</b>	: <b>1.8</b>
+0.35 -0	: <b>930 N</b>
	: <b>525 N</b>

	<b>L</b>	Objednáací číslo
<b>max. 6.0</b>	10.0	16013210
<b>max. 10.0</b>	14.0	3214

Všechny rozměry v mm.

<b>d1</b> ∅	∅  : <b>5.1</b>
<b>d2</b> ∅	: <b>9.5</b> [±0.3]
<b>k</b>	: ≤ <b>2.0</b>
<b>P</b>	: ≥ <b>27</b>
<b>d3</b>	: <b>2.65</b>
+0.35 -0	: <b>1575 N</b>
	: <b>1185 N</b>

	<b>L</b>	Objednáací číslo
<b>max. 2.0</b>	8.0	16014808
<b>max. 6.0</b>	10.0	4810
<b>max. 7.0</b>	11.0	4811
<b>max. 8.0</b>	12.0	4812
<b>max. 10.0</b>	14.0	4814
<b>max. 12.0</b>	16.0	4816
<b>max. 14.0</b>	18.0	4818
<b>max. 16.0</b>	20.0	4820
<b>max. 21.0</b>	25.0	4825
<b>max. 26.0</b>	30.0	4830

Všechny rozměry v mm.

<b>d1</b> ∅	∅  : <b>4.3</b>
<b>d2</b> ∅	: <b>8.0</b> [±0.3]
<b>k</b>	: ≤ <b>1.7</b>
<b>P</b>	: ≥ <b>27</b>
<b>d3</b>	: <b>2.2</b>
+0.35 -0	: <b>1410 N</b>
	: <b>885 N</b>

	<b>L</b>	Objednáací číslo
<b>max. 4.0</b>	8.0	16014008
<b>max. 6.0</b>	10.0	4010
<b>max. 8.0</b>	12.0	4012
<b>max. 10.0</b>	16.0	4016

NÝTY PRO SPECIÁLNÍ APLIKACE