


PEVNOSTNÍ (STRUKTURÁLNÍ) NÝTY

AVIBULB Série BN01



Všechny rozměry v mm.

d1 Ø	Ø : 3.3 - 3.4	L		Objednací číslo
			[+1/-0.2]	
3.2	d2 Ø : 8.0	1.0- 3.0	6.6	BN010408
	k : 1.4	3.0- 5.0	9.2	0411
	: 1300 N	5.0- 7.0	11.5	0414
+0.05 -0.15 : 1200-2500 N (hodnoty závisí na délce nýtu)				

Všechny rozměry v mm.

d1 Ø	Ø : 4.9 - 5.1	L		Objednací číslo
			[+1/-0.2]	
4.8	d2 Ø : 9.6	1.5- 3.5	8.8	BN010611
	k : 1.5	3.5- 6.0	11.3	0614
	: 3800 N	6.0- 8.5	14.3	0618
+0.05 -0.15 : 3600-5600 N (hodnoty závisí na délce nýtu)				


Všechny rozměry v mm.

d1 Ø	Ø : 4.1 - 4.3	L		Objednací číslo
			[+1/-0.2]	
4.0	d2 Ø : 8.0	1.0- 3.0	7.5	BN010509
	k : 1.4	3.0- 5.0	9.5	0512
	: 2800 N	5.0- 7.0	12.5	0516
+0.05 -0.15 : 2400-4100 N (hodnoty závisí na délce nýtu)				

Všechny rozměry v mm.

d1 Ø	Ø : 6.1 - 6.3	L		Objednací číslo
			[+1/-0.2]	
6.0	d2 Ø : 12.3	1.5- 4.0	10.0	BN016010
	k : 2.1	3.0- 6.0	13.0	6013
	: 5400 N	6.0- 9.0	16.0	6016
+0.05 -0.15 : 4200-8500 N (hodnoty závisí na délce nýtu)				

STAVEX Série BS01



Všechny rozměry v mm.

d1 Ø	Ø : 3.3 - 3.4	L		Objednací číslo
			[+1/-0.2]	
3.2	d2 Ø : 7.3	1.0- 6.0	14.5	BS010414
	k : 1.0			
	: 1200 N			
+0.05 -0.15 : 900 N				

Všechny rozměry v mm.

d1 Ø	Ø : 4.9 - 5.0	L		Objednací číslo
			[+1/-0.2]	
4.8	d2 Ø : 10.1	1.5- 5.1	12.2	BS010612
	k : 1.6	1.5- 6.3	13.8	0614
	: 2900 N	1.5- 9.0	17.1	0618
+0.05 -0.15 : 2600 N				

Všechny rozměry v mm.



d1 Ø	Ø : 4.1 - 4.2	L		Objednací číslo
			[+1/-0.2]	
4.0	d2 Ø : 8.2	2.0- 8.0	16.0	BS010516
	k : 1.4			
	: 1800 N			
+0.05 -0.15 : 1500 N				

Všechny rozměry v mm.

d1 Ø	Ø : 6.6 - 6.9	L		Objednací číslo
			[+1/-0.2]	
6.4	d2 Ø : 13.5	1.5- 7.6	16.8	16104844
	k : 2.7			
	: 3600 N			
+0.05 -0.15 : 3100 N				

PEVNOSTNÍ (STRUKTURÁLNÍ) NÝTY

AVINOX II Série BE61



Všechny rozměry v mm.

d1 Ø	Ø : 3.3 - 3.4	L	Objednáací číslo
3.2	d2 Ø : 6.6	[+1/-0.2]	BE610408
	k : 1.2	1.0- 3.0	6.6
	P : ≥ 32	3.0- 5.0	9.2
+0.05	d3 : ≈ 2.1	5.0- 7.0	11.5
-0.15	⊕ : 2000 N		0411
	⊖ : 1600 N		0414

Všechny rozměry v mm.

d1 Ø	Ø : 4.1 - 4.3	L	Objednáací číslo
4.0	d2 Ø : 7.7	[+1/-0.2]	BE610509
	k : 1.3	1.0- 3.0	7.5
	P : ≥ 31	3.0- 5.0	9.5
+0.05	d3 : ≈ 2.6	5.0- 7.0	12.5
-0.15	⊕ : 4000 N		0512
	⊖ : 2800 N		0516



L	Objednáací číslo
[+1/-0.2]	BE610509
1.0- 3.0	7.5
3.0- 5.0	9.5
5.0- 7.0	12.5

Všechny rozměry v mm.

d1 Ø	Ø : 4.9 - 5.1	L	Objednáací číslo
4.8	d2 Ø : 9.3	[+1/-0.2]	BE610611
	k : 1.3	1.5- 3.5	8.8
	P : ≥ 31	3.5- 6.0	11.3
+0.05	d3 : ≈ 3.2	6.0- 8.5	14.3
-0.15	⊕ : 5000 N		0614
	⊖ : 3900 N		0618

L	Objednáací číslo
[+1/-0.2]	BE610611
1.5- 3.5	8.8
3.5- 6.0	11.3
6.0- 8.5	14.3

MASTERLOCK Série 1471+1561



Všechny rozměry v mm.


d1 Ø	Ø : 5.0	L	Objednáací číslo
4.8	d2 Ø : 9.8 [+/-0.30]	[+1/-0.2]	14714809
	k : 2.2 [+/-0.2]	1.5- 3.5	9.0
	P : ≥ 32	3.5- 6.0	11.5
+/-0.05	d3 : 3.02	6.0- 8.5	14.0
	⊕ : 3600 N	8.5-11.0	16.5
	⊖ : min. 3920 N/max. 6270 N		4811

Všechny rozměry v mm.

d1 Ø	Ø : 6.65 [6,90 max.]	L	Objednáací číslo
6.4	d2 Ø : 13.6 max.	[+1/-0.2]	15616412
	k : 3.3 max.	2.8- 4.8	12.5
	P : ≥ 25	4.8- 6.8	14.5
+/-0.05	d3 : 4.0	6.8- 8.8	16.5
	⊕ : 7120 N	8.8-10.8	18.5
	⊖ : 11560 N	10.8-12.8	20.5
		12.8-14.8	22.5

L	Objednáací číslo
[+1/-0.2]	15616412
2.8- 4.8	12.5
4.8- 6.8	14.5
6.8- 8.8	16.5
8.8-10.8	18.5
10.8-12.8	20.5
12.8-14.8	22.5

MASTERLOCK Série 1511



Všechny rozměry v mm.

d1 Ø	Ø : 6.6 [6,80 max.]	L	Objednáací číslo
6.4	d2 Ø : 13.0 max.	[+1/-0.2]	15116412
	k : 3.0 max.	2.8- 4.8	10.5
	P : ≥ 32	4.8- 6.8	12.5
+/-0.05	d3 : ≈ 4.17	6.8- 8.8	14.5
	⊕ : 3500 N	8.8-10.8	16.5
	⊖ : 5000 N	10.8-12.8	18.5
		12.8-14.8	20.5



L	Objednáací číslo
[+1/-0.2]	15116412
2.8- 4.8	10.5
4.8- 6.8	12.5
6.8- 8.8	14.5
8.8-10.8	16.5
10.8-12.8	18.5
12.8-14.8	20.5

PEVNOSTNÍ (STRUKTURÁLNÍ) NÍTTY

MASTERLOCK Série 1472



VELKÁ HLAVA




Všechny rozměry v mm.

d1 Ø	Ø : 5.0	L		Objednací číslo
		1.5- 3.5	9.0	
4.8	d2 Ø : 14.0 [+/-0.30]	3.5- 6.0	11.0	14724809
+/-0.05	k : 2.0 [+/-0.2]			4811
	P : ≥32			
	d3 : 3.0			
	⊕ : 3500 N			
	⊖ : 6000 N			

MASTERLOCK Série 1474



ZAPUŠTĚNÁ HLAVA




Všechny rozměry v mm.

d1 Ø	Ø : 6.6	L		Objednací číslo
		3.8- 5.8	11.5	
6.4	d2 Ø : 10.0 [+/-0.30]	4.8- 6.8	12.5	14746411
+/-0.05	k : 2.0 [+/-0.2]	5.8- 7.8	13.5	6412
	P : ≥32	7.8- 9.8	15.5	6413
	d3 : 4.2	9.8-11.8	17.5	6415
	⊕ : 5490 N	11.8-13.8	19.5	6417
	⊖ : 5390-10300 N (hodnoty závisí na délce nýtu)			6419

MASTERLOCK Série 1514




ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø : 6.6	L		Objednací číslo
		3.8- 5.8	11.5	
6.4	d2 Ø : 10.0 [+/-0.30]	5.8- 7.8	13.5	15146411
+/-0.05	k : 2.0 [+/-0.2]	7.8- 9.8	15.5	6413
	P : ≥32	9.8-11.8	17.5	6415
	d3 : 4.2	11.8-13.8	18.5	6417
	⊕ : 3000 N	13.8-15.8	19.5	6421
	⊖ : 4000 N			


HEMLOCK Série 2221







Všechny rozměry v mm.

d1 Ø	Ø : 6.7 - 6.9	L		Objednací číslo
		1.5- 3.5	13.0	
6.4	d2 Ø : 13.4	2.8- 4.8	14.3	22210812
+0.05	k : 2.7	3.4- 5.4	14.9	0813
	P :	4.8- 6.8	16.3	0814
	d3 : ≈ 4.2	6.8- 8.8	18.3	0815
-0.15	⊕ : 8800 N	7.5- 9.5	19.0	0817
	⊖ : 10500-16000 N	8.8-10.8	20.3	0818
	(hodnoty závisí na délce nýtu)	10.8-12.8	22.3	0819


HEMLOK Série 2241







Všechny rozměry v mm.

			L [+1/-0.2]	Objednáací číslo
d1 Ø	Ø  : 6.7 - 6.9	1.5- 3.5	13.0	22410812
d2 Ø	: 13.4	2.8- 4.8	14.3	0813
k	: 2.7	3.35- 5.35	15.6	0814
d3	: ≈ 4.2	4.8- 6.8	16.3	0815
+0.05	 : 2700 N	6.8- 8.8	18.3	0817
-0.15	 : 5000-7000 N (hodnoty závisí na délce nýtu)	8.8-10.8	20.3	0819
		10.8-12.8	22.3	0821





MONOBOLT Série 2771







Všechny rozměry v mm.

			L [+1/-0.2]	Objednáací číslo
d1 Ø	Ø  : 4.9 - 5.1	1.6- 6.7	10.5	27710613
d2 Ø	: 10.1	1.6-11.1	13.5	0617
k	: 2.1			
P	: ≥ 28			
+0.05	 : 5100 N			
-0.15	 : 6400 N			


Všechny rozměry v mm.

			L [+1/-0.2]	Objednáací číslo
d1 Ø	Ø  : 6.6 - 7.0	2.0- 9.5	12.2	27710817
d2 Ø	: 13.4	2.0-15.9	16.4	27710824
k	: 2.9			
P	: ≥ 29			
+0.05	 : 10400 N			
-0.15	 : 11700 N			





Všechny rozměry v mm.

			L [+1/-0.2]	Objednáací číslo
d1 Ø	Ø  : 9.9-10.4	3.0-15.9	22.3	27711228
d2 Ø	: 20.3			
k	: 4.0			
P	: ≥ 36.2			
+0.05	 : 17500 N			
-0.15	 : 26300 N			





MONOBOLT Série 2774



Všechny rozměry v mm.


			L [+1/-0.2]	Objednáací číslo
d1 Ø	Ø  : 6.6 - 7.0	2.0- 9.5	14.1	27740817
d2 Ø	: 13.1	2.0-15.9	19.2	0824
k	: 2.7			
P	: ≥ 29			
+0.05	 : 4200 N			
-0.15	 : 6000 N			

Všechny rozměry v mm.

			L [+1/-0.2]	Objednáací číslo
d1 Ø	Ø  : 4.9 - 5.1	1.6- 6.9	10.5	27740613
d2 Ø	: 10.1	1.6-11.1	13.0	0617
k	: 1.9			
P	: ≥ 27			
+0.05	 : 2200 N			
-0.15	 : 2450 N			

PEVNOSTNÍ (STRUKTURÁLNÍ) NÝTY

MONOBOLT Série 2711



A2 [1.4301]

A2 [1.4301]

Všechny rozměry v mm.

d1 Ø	Ø 6.6 - 7.0
d2 Ø	: 13.1
k	: 2.7
P	: ≥ 29
+0.05	⇄ : 9650 N
-0.15	⇄ : 10650 N

L		Objednáací číslo
[+1/-0.2]		
2.0- 9.5	12.2	27110817
2.0-14.6	16.4	0824

Všechny rozměry v mm.


d1 Ø	Ø 4.9 - 5.1
d2 Ø	: 10.1
k	: 2.1
P	: ≥ 27
+0.05	⇄ : 5100 N
-0.15	⇄ : 6400 N

L		Objednáací číslo
[+1/-0.2]		
1.6- 6.9	10.5	27110613
1.6-11.1	13.5	0617

MONOBOLT Série 2764



ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø 4.9 - 5.1
d2 Ø	: 8.3
k	: 2.2
P	: ≥ 20
+0.05	⇄ : 2100 N
-0.15	⇄ : 2800 N

L		Objednáací číslo
[+1/-0.2]		
3.2- 8.5	10.5	27640615
3.2-12.2	13.5	0619

Všechny rozměry v mm.


d1 Ø	Ø 6.6 - 7.0
d2 Ø	: 10.1
k	: 2.4
P	: ≥ 26.3
+0.05	⇄ : 4200 N
-0.15	⇄ : 6000 N

3.2-12.0	13.0	27640821
----------	------	----------

MONOBOLT Série 2761



ZAPUŠTĚNÁ HLAVA



Svrná tloušťka

Všechny rozměry v mm.

d1 Ø	Ø 6.6 - 7.0
d2 Ø	: 10.1
k	: 2.4
P	: ≥ 29
+0.05	⇄ : 10400 N
-0.15	⇄ : 11100 N

L		Objednáací číslo
[+1/-0.2]		
3.2-12.0	16.9	27610821

Všechny rozměry v mm.


d1 Ø	Ø 4.9 - 5.1
d2 Ø	: 8.3
k	: 2.2
P	: ≥ 27
+0.05	⇄ : 5100 N
-0.15	⇄ : 6400 N

L		Objednáací číslo
[+1/-0.2]		
3.2- 8.4	10.5	27610615
3.2-12.2	13.5	0619

MONOBOLT Série 2721



ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø 6.6 - 7.0
d2 Ø	: 10.0
k	: 2.1
P	: ≥ 29
+0.05	⇄ : 9500 N
-0.15	⇄ : 11100 N

L		Objednáací číslo
[+1/-0.2]		
3.2-12.0	16.9	27210821

PEVNOSTNÍ (STRUKTURÁLNÍ) NÝTY